

www.e-rara.ch

Report on the geology and resources of the region in the vicinity of the forty-ninth parallel, from the lake of the woods to the rocky mountains

Dawson, George Mercer

Montreal, 1875

ETH-Bibliothek Zürich

Shelf Mark: Rar 30274

Persistent Link: <https://doi.org/10.3931/e-rara-75837>

Inhaltsverzeichnis

www.e-rara.ch

Die Plattform e-rara.ch macht die in Schweizer Bibliotheken vorhandenen Drucke online verfügbar. Das Spektrum reicht von Büchern über Karten bis zu illustrierten Materialien – von den Anfängen des Buchdrucks bis ins 20. Jahrhundert.

e-rara.ch provides online access to rare books available in Swiss libraries. The holdings extend from books and maps to illustrated material – from the beginnings of printing to the 20th century.

e-rara.ch met en ligne des reproductions numériques d'imprimés conservés dans les bibliothèques de Suisse. L'éventail va des livres aux documents iconographiques en passant par les cartes – des débuts de l'imprimerie jusqu'au 20e siècle.

e-rara.ch mette a disposizione in rete le edizioni antiche conservate nelle biblioteche svizzere. La collezione comprende libri, carte geografiche e materiale illustrato che risalgono agli inizi della tipografia fino ad arrivare al XX secolo.

Nutzungsbedingungen Dieses Digitalisat kann kostenfrei heruntergeladen werden. Die Lizenzierungsart und die Nutzungsbedingungen sind individuell zu jedem Dokument in den Titelinformationen angegeben. Für weitere Informationen siehe auch [Link]

Terms of Use This digital copy can be downloaded free of charge. The type of licensing and the terms of use are indicated in the title information for each document individually. For further information please refer to the terms of use on [Link]

Conditions d'utilisation Ce document numérique peut être téléchargé gratuitement. Son statut juridique et ses conditions d'utilisation sont précisés dans sa notice détaillée. Pour de plus amples informations, voir [Link]

Condizioni di utilizzo Questo documento può essere scaricato gratuitamente. Il tipo di licenza e le condizioni di utilizzo sono indicate nella notizia bibliografica del singolo documento. Per ulteriori informazioni vedi anche [Link]

CONTENTS.

CHAPTER I.

PHYSICAL GEOGRAPHY AND GENERAL GEOLOGY.

GENERAL PHYSICAL GEOGRAPHY.—Interior region of the Continent—Eastern boundary—Western boundary—Slope of the region—First prairie level—Second prairie level—Third prairie level—Transverse watersheds—Description of the southern transverse watershed—The northern transverse watershed—Areas drained by different river systems—Area of the plains. GENERAL OUTLINE OF THE GEOLOGY.—General nature of the region—Silurian series—Devonian series—Possible existence of Carboniferous rocks—Permian and Triassic—Jurassic—Cretaceous formation—Lignite Tertiary formation—Authorities on the Geology of the region - - - - - p. 1

CHAPTER II.

GEOLOGY OF THE LAKE OF THE WOODS. LAURENTIAN AND HURONIAN.

POSITION AND GEOGRAPHY OF THE LAKE—Clear-water Lake—Sand-hill Lake—Whitefish Lake—Lac Plat—FORMER GEOLOGICAL EXPLORERS—LAURENTIAN FORMATION—Vicinity of the North-West Angle—Flag Island to Rainy River—Bigby Island—Middle Island—North Island—Shebashca—AREA OF MUCH-ALTERED HURONIAN.—INTRUSIVE GRANITIC MASS OF NORTH-WEST ANGLE—Its form—Northern branch—Southern branch—Included area of altered rocks—HURONIAN ROCKS—ANGLE INLET TO KA-KA-KE-WABEC—Quartzite—Conglomerate belt—Schistose rocks—Second Conglomerate belt—Second Schistose belt—KA-KA-KE-WABEC GRANITE—HURONIAN ROCKS KA-KA-KE-WABEC TO RAT PORTAGE—Schistose belt—Conglomerate of Lacrosse Island—Extensive Schistose belt with some conglomerates—JUNCTION OF THE LAURENTIAN AND HURONIAN AT RAT PORTAGE—GENERAL DISTRIBUTION AND ATTITUDES OF THE ROCKS—Main directions of flexure—Comparison with other localities—CHARACTER AND AGE OF THE SO-CALLED HURONIAN ROCKS—Nature of the Conglomerates—Metamorphism—Dykes and veins—MINERALS OF ECONOMIC VALUE - - - p. 22

CHAPTER III.

STRUCTURE OF THE ROCKY MOUNTAINS IN THE VICINITY OF THE FORTY-NINTH PARALLEL.

GENERAL FEATURES.—Intersection of the Mountains and Forty-ninth Parallel—General Geological Structure—ROCKS IN THE VICINITY OF WATERTON LAKE—Series A.—Series B.—Series C.—ROCKS IN THE KOOTANIE PASS—Subdivisions of Series C.—East Fork—Rocks west of East Fork—The Watershed—West Fork—Rocks exposed in Mt. Yarrell—ROCKS NEAR THE BOUN-

DARY MONUMENT—Series H.—Section of Series F. and G.—EASTERN FRONT OF THE WATERSHED RANGE, MT. WILSON AND CHIEF MOUNTAIN—REVIEW OF THE SECTION—COMPARISON OF THE ROCKS WITH THOSE OF OTHER LOCALITIES—Rocks described to the North—Rocks described to the South—Limestones like those of Series B. and D.—Underlying beds—Upper red beds—General conclusions—Period of elevation of the Mountains - - - - - p. 56

CHAPTER IV.

CRETACEOUS AND TERTIARY ROCKS OF THE VICINITY OF THE FORTY-NINTH PARALLEL—PEMBINA ESCARPMENT TO WOOD MOUNTAIN.

CRETACEOUS ROCKS.—Pembina Escarpment—Niobrara group—Fossils of the Boyne River—Pembina Mountain group—Rocks near the Boundary-line—Sections in Pembina River—Sections in Long River—Thickness of beds exposed—Lithological character—LIGNITE TERTIARY ROCKS ON THE SOURIS RIVER—Drift-covered region—La Roche Percée—Section on Short Creek—Sections west of Short Creek—Sections near Wood End—GAP IN THE SECTION ON THE BOUNDARY-LINE—LIGNITE TERTIARY ROCKS OF GREAT VALLEY, AND PYRAMID CREEK—Sections on Great Valley—Sections on Pyramid Creek—LIGNITE TERTIARY ROCKS OF PORCUPINE CREEK—Eighteen-foot lignite bed—LIGNITE TERTIARY ROCKS ON THE TRADERS' ROAD - - - - - p. 78

CHAPTER V.

CRETACEOUS AND TERTIARY ROCKS OF THE VICINITY OF THE FORTY-NINTH PARALLEL—WOOD MOUNTAIN TO THE ROCKY MOUNTAINS.

LIGNITE TERTIARY ROCKS NEAR WOOD MOUNTAIN—SECTIONS IN BAD LANDS SOUTH OF WOOD MOUNTAIN—Nature of Bad Lands—Divisions of Section—Fossil plants—Vertebrate fossils—SECTIONS WEST OF THE BAD LANDS TO WHITE MUD RIVER—Cretaceous No. 4—Fossils—White Mud River—Cretaceous Nos. 4 & 5—Relations of beds, White Mud River and Bad Lands—SECTIONS WEST OF WOOD MOUNTAIN SETTLEMENT TO WHITE MUD RIVER—Bay of Cretaceous Rocks—Tertiary Plateau—Cretaceous No. 4, with fossils—WHITE MUD RIVER TO MILK RIVER—Cretaceous plain—Tertiary Plateau—East Fork of Milk River—Section near West Fork of Milk River—Age of Beds exposed—Cretaceous plain—Milk River Valley—Sections in Milk River Valley—Upper arenaceous clays, &c.—Sandstone Zone—Lower arenaceous clays, &c. MILK RIVER TO THE WEST BUTTE—Sections North of East Butte—Nature and height of the Buttes—East Butte—Igneous rocks of the Buttes—Middle Butte—West Butte—WEST BUTTE TO THE ROCKY MOUNTAINS—Synclinal west of West Butte—First Branch Milk River—Vertebrate fossils—Second Branch Milk River—Fresh Water deposits—St. Mary River—Disturbance of Beds—Coal Bed—Marine Fossiliferous Beds—Exposures nearest the Mountains—South Fork of Belly River - - - - - p. 102

CHAPTER VI.

GENERAL ARRANGEMENT AND EXTENT OF THE CRETACEOUS AND LIGNITE TERTIARY FORMATIONS.

CRETACEOUS No. 1.—Typical series—Representatives westward—Dr. Hector's Group E—Lignites in Lower Cretaceous Rocks—Lignite from Rainy River.—CRETACEOUS No. 2.—Typical series—Representatives westward—Beds of this age

on the Saskatchewan—Dr. Hector's Group D.—CRETACEOUS No. 3.—Typical series—Representatives westward—Representatives in Manitoba—CRETACEOUS No. 4.—Typical series—Pembina Mountain Group—Representatives on the Line westward—Effect of this Formation on the country—Modifying effect of Drift—Saline springs—Prof. Hind's Section—Dr. Hector's Group B. and C.—CRETACEOUS No. 5.—Typical series—Representatives on the Line—Prof. Hind's Section—DISTRIBUTION OF CRETACEOUS SUBDIVISIONS—LIGNITE TERTIARY FORMATION.—Relations of beds on the Line—Eastern limit of the Formation—Western Representatives—Persistent zone of Sandstones—Resemblance of western series to Judith River beds—Tertiary beds observed by Dr. Hector - - - - - p. 136

CHAPTER VII.

CONDITIONS OF DEPOSIT CRETACEOUS AND TERTIARY. BURNING OF LIGNITE BEDS.—COMPOSITION AND ECONOMIC VALUE OF LIGNITES AND IRONSTONES.

CONDITIONS IMPLIED BY CRETACEOUS AND TERTIARY DEPOSITS—Period of shallow water—Extent and nature of submergence during Niobrara period—Detrital beds of Fort Pierre group—Closing period of shallow waters—Extensive land areas during Lignite Tertiary—Conditions of formation of lignites.—COMBUSTION OF LIGNITE BEDS—Appearances indicating this action—Effects produced on surrounding beds—Area over which similar phenomena have been observed—Question whether such fires are spontaneous—Extent to which lignites have been destroyed—COMPOSITION AND ECONOMIC VALUE OF LIGNITES AND IRON ORES—Analyses of lignites—Nature of lignites—Classes of lignites represented—Variability of water content—Lignites as fuels—Import of the St. Mary River coal—Other similar fuels near the mountains—Area of lignite-bearing formation—Ironstones of the Lignite Tertiary—Ironstones of the Cretaceous—Probability of their future economic importance - - - - - p. 159

CHAPTER VIII.

AGE OF THE LIGNITE-BEARING FORMATION AND POSITION OF THE LINE SEPARATING THE CRETACEOUS AND TERTIARY.

AGE OF THE LIGNITE FORMATION—Nature of the question—Physical break between Cretaceous and Tertiary of Europe—No physical break in Interior Continental region—Unity of the Lignite formation—Tertiary age of Eastern representatives not directly questioned—Summary of facts and opinions bearing on the age of Lignite formation—Stratigraphical—Invertebrate fossils—Fossil plants—Vertebrate remains—Character of Junction Cretaceous No. 5 and Lignite formation—Contemporaneous deposit of No. 5 over the entire area.—REVIEW OF THE EVIDENCE—Plants—Fresh-water molluscs—Marine molluscs—Vertebrates—General conclusions - - - - - p. 183

CHAPTER IX.

GLACIAL PHENOMENA AND SUPERFICIAL DEPOSITS.

GLACIATION AND SUPERFICIAL DEPOSITS, LAKE OF THE WOODS—The lake-basin—Depth of the lake—Direction of glacial striation—Superposed striation in different directions—Special instances of glaciation—Pre-glacial age of outfall of lake—Distribution of boulders—Upper Silurian limestone boulders, with fossils—N. E. limit of limestone drift—Methods of accounting for limestone

drift—DRIFT PLATEAU OF EASTERN MANITOBA AND NORTHERN MINNESOTA—Kames and Eskers—N. W. limit of red drift—Height and contour of the plateau—Sections on Roseau River—GENERAL FEATURES OF GLACIAL PHENOMENA E. OF RED RIVER—Elevation and slope of the Laurentian axis—Confluent glacier covering the Laurentian region—Former southern outfall of Lake of the Woods—DRIFT DEPOSITS OF THE SECOND PRAIRIE PLATEAU, AND TURTLE MOUNTAIN—Surface of the plateau—Terraces of Pembina Escarpment—Sections on Long River—Numerical analysis of constituents of the drift—Turtle Mountain—Boulder covered region—MARGIN AND EASTERN REGION OF THE THIRD PLATEAU—The Missouri Coteau—Ancient river valleys—Erratics of the Coteau—Quartzite drift - - - - - p. 203

CHAPTER X.

GLACIAL PHENOMENA AND SUPERFICIAL DEPOSITS—(Continued.)

MARGIN AND EASTERN REGION OF THE THIRD PLATEAU (Continued)—Drift deposits near Wood Mountain—Northern Extension of the Coteau—Southern extension of the Coteau—General aspect of the Coteau—Methods of accounting for the formation of the Coteau—DRIFT DEPOSITS OF THE THIRD PLATEAU WEST OF WOOD MOUNTAIN—Boulder-clay of East Fork of Milk River, &c.—Composition of the Drift near Milk River—The Three Buttes—Western limit of Laurentian drift—GLACIAL ACTION IN THE ROCKY MOUNTAINS—Former glacier of Waterton Lake—Terraces in the mouth of the S. Kootanie Pass—Origin of gold—Moraines and lakes—Cirques—GENERAL COMPOSITION OF THE DRIFT—THE RED RIVER VALLEY—Its character and inclination—Alluvial deposits—Sections from borings at Winnipeg and Fargo—Yellow marl deposits—Connection of deposits of Red River Valley and Missouri Country—PRE-GLACIAL ASPECT OF THE COUNTRY—Former southern flow of Red River—First stage in depression—Correlation of levels of plateaus and terraces—Depth of submergence when greatest, and action at this time—Emergence of the continent—Difficulties met with in explaining the phenomena—POST-GLACIAL PHENOMENA—Possible existence of a pluvial period—Great river valleys—Alternative vallies—Valley of the Red River—The formation of coulées. - - - - - p. 232

CHAPTER XI.

CAPABILITIES OF THE REGION WITH REFERENCE TO SETTLEMENT.

REGION IN THE VICINITY OF THE LAKE OF THE WOODS—Areas capable of cultivation—Barren region—Vegetation of the lake—REGION BETWEEN THE LAKE OF THE WOODS AND RED RIVER PRAIRIE—Country in the vicinity of the Government Road—Country bordering on the Reed and Roseau Rivers—Height of Land Muskeg—THE RED RIVER PRAIRIE—Soil, and nature of the surface—Measure of agricultural capacity—Wood—Climate—Progress of the spring here and at other points in the Fertile Belt—Rainfall—Water supply—COUNTRY OF THE SECOND PRAIRIE STEPPE—Pembina Escarpment—Western margin of the great plains—Turtle Mountain—Timber—Country in the vicinity of the Souris River—Meteorological cycle—COUNTRY OF THE THIRD PRAIRIE STEPPE—Plateau of the Tertiary—Eastern limit of buffalo—Big Camp of half-breeds Fertile Belt at the base of the mountains—Timber of the mountains—Climate of the Third Steppe - - - - - p. 269

CHAPTER XII.

CAPABILITIES OF THE REGION WITH REFERENCE TO SETTLEMENT.—(Continued.)

CAUSES DETERRENT TO SETTLEMENT AND AGRICULTURE.—Future of the North-west—Climate—Wintering of stock—Difficulty of access—INROADS OF THE GRASSHOPPER—Origin of the insect—Its range—The young and winged swarms—Its flight—Years when it has appeared in Manitoba—Means of prevention—THE SUPPLY OF WOOD IN THE NORTH-WEST—The plains never entirely wooded—Causes tending to destruction of forest—Causes of treelessness of prairie—Dryness of soil and atmosphere—Causes of drought—Causes of greater rainfall on wooded areas—Facts tending to show progressive desiccation in the west—Similar drought brought on elsewhere by destruction of forest—Amelioration of climate by planting forest—Treeless area of the continent—Normal area of country which should be in forest—Successful growth of trees in the west—Scheme for the planting and preservation of trees, p. 301.

APPENDIX.

- (A)—*Note on the Plants, collected by Mr. G. M. Dawson, from the Lignite Tertiary Deposits, near the Forty-ninth Parallel* 327
- (B)—*Report on the Vertebrate Fossils from the Fort Union Group of Milk River* . . 333
- (C)—*Lake of the Woods—Table showing the nature and distances of the dykes and veins observed* 339
- (D)—*Notice of the Butterflies and Orthoptera, collected by Mr. G. M. Dawson, as Naturalist of the B. N. A. Boundary Commission* 341
- (E)—*Land and Fresh-water Molluscs, collected during the summers of 1873-74, in the vicinity of the Forty-ninth Parallel—Lake of the Woods to the Rocky Mountains.* 347
- (F)—*List of Plants collected during the summers of 1873-74, in the vicinity of the Forty-ninth Parallel—Lake of the Woods to the Rocky Mountains* 351

APPENDIX

Faint, illegible text at the top of the page, possibly bleed-through from the reverse side.

APPENDIX

Faint, illegible text in the middle section of the page, possibly bleed-through from the reverse side.

Faint, illegible text at the bottom of the page, possibly bleed-through from the reverse side.