

www.e-rara.ch

Tracts on the Resolution of Cubick & Biquadratick Equations

Maseres, Francis

London, [1803]

ETH-Bibliothek Zürich

Shelf Mark: Rar 3169

Persistent Link: <http://dx.doi.org/10.3931/e-rara-16945>

Inhaltsverzeichnis

www.e-rara.ch

Die Plattform e-rara.ch macht die in Schweizer Bibliotheken vorhandenen Drucke online verfügbar. Das Spektrum reicht von Büchern über Karten bis zu illustrierten Materialien – von den Anfängen des Buchdrucks bis ins 20. Jahrhundert.

e-rara.ch provides online access to rare books available in Swiss libraries. The holdings extend from books and maps to illustrated material – from the beginnings of printing to the 20th century.

e-rara.ch met en ligne des reproductions numériques d'imprimés conservés dans les bibliothèques de Suisse. L'éventail va des livres aux documents iconographiques en passant par les cartes – des débuts de l'imprimerie jusqu'au 20e siècle.

e-rara.ch mette a disposizione in rete le edizioni antiche conservate nelle biblioteche svizzere. La collezione comprende libri, carte geografiche e materiale illustrato che risalgono agli inizi della tipografia fino ad arrivare al XX secolo.

Nutzungsbedingungen Dieses Digitalisat kann kostenfrei heruntergeladen werden. Die Lizenzierungsart und die Nutzungsbedingungen sind individuell zu jedem Dokument in den Titelinformationen angegeben. Für weitere Informationen siehe auch [Link]

Terms of Use This digital copy can be downloaded free of charge. The type of licensing and the terms of use are indicated in the title information for each document individually. For further information please refer to the terms of use on [Link]

Conditions d'utilisation Ce document numérique peut être téléchargé gratuitement. Son statut juridique et ses conditions d'utilisation sont précisés dans sa notice détaillée. Pour de plus amples informations, voir [Link]

Condizioni di utilizzo Questo documento può essere scaricato gratuitamente. Il tipo di licenza e le condizioni di utilizzo sono indicate nella notizia bibliografica del singolo documento. Per ulteriori informazioni vedi anche [Link]

*A Table of the Contents of this Collection of
Mathematical Tracts.*

NUMBER I.

*A Supplement to the Appendix to Mr. Friend's Principles
of Algebra.*

In pages 1, 2, 3, 4, 5, &c. to page 89.

NUMBER II.

*Ferrarius Redivivus: or, a Comparison between the Method
invented by Lewis Ferrari, for resolving certain Biqua-
dratick Equations, by the Mediation of Cubick Equations;
and the Method afterwards given by Des Cartes, in his
Geometry, for the same purpose. Intended to shew the
Superiority of the former of these Methods above the
latter.*

In pages 91, 92, 93, 94, &c. to page 356.

NUMBER III.

*Additional Observations on Lewis Ferrari's Method of re-
solving the foregoing Ten Forms of Biquadratick Equa-
tions, in which the Cube of the unknown quantity is
wanting: Shewing how the difficulties that occur in the
application of the said Method to the Resolution of Four of
the said Forms may be avoided.*

In pages 357, 358, 359, 360, &c. to page 468.

NUM-

TABLE OF CONTENTS.

NUMBER IV.

An Addition to the first Tract in the present Volume, intitled, "A Supplement to the Appendix to Mr. Friend's Algebra;" containing an Investigation of Cardan's Rule for the Resolution of the Cubick Equation $x^3 + abx = aac$, upon a supposition that the single Letters $x, a, b,$ and $c,$ denote Right Lines; but that the three quantities $x^3, abx,$ and aac denote rectangular solid figures contained under the Right Lines denoted by the three single Letters of which they are severally compounded.

In pages 469, 470, 471, 472, &c, to page 480.

NUMBER V.

Remarks on the Doctrine of the Generation of Algebraick Equations, one from another, by Multiplication; invented by Mr. Thomas Harriot, and published by Mr. Walter Warner in the year 1631, and adopted by most writers of Algebra since his time.

In pages 481, 482, 483, 484, &c, to page 555.

NUMBER VI.

A Comparison between the Resolution of the Biquadratick Equation $rx - qx^2 + px^3 - x^4 = s$ by the Method of Dr. Waring, and the Resolution of the same Equation by the Method of Lewis Ferrari.

In pages 557, 558, 559, 560, &c, to page 599.